

DECT Wireless Intercom


















- Digital D.E.C.T wireless intercom system.
- Working range of 200 metres (up to 400 metres open field conditions).
- Up to 4 handsets per system.
- NEW Now available with 2 relay outputs!
- NEW 12-24v ac/dc power supply range (CAT5/alarm power cable friendly\*)!
- NEW Now available with 2 relay outputs!
- NEW Now available optional range extending antenna!
- Simple setup and install.
- Keypad option for coded access.
- Built in voicemail feature for missed callers, user can listen to messages on handset.
- Make internal calls between handsets.
- 2 year manufacturers warranty.





DECT Wireless Intercom



#### Technical Details

Current consumption
Relay outputs
Relay type
Relay time
Relay load
Technology type

Power supply

Handsets per system

Cable between speech unit & transmitter

12-24v ac/dc (24v dc adaptor included)

50mA standby, 250mA calling

2

N/O & N/C contacts

Adjustable 1-9 seconds

2A 24v AC max

1.88GHz DECT Digital Technology

4

Screened CAT5

Max cable length

Cable cores

Speech unit IP rating

Transmitter IP rating

Manufacturer warranty

Keypad programming

Keypad codes

Wiegand output

8 metres (recommend short as possible)

2 x SPK, 2 x MIC, 2 x power, 2 x button

IP55

IP65

2 year return to base warranty

On the keypad

1200 total

Yes, 26 or 34 bit



# DECT 603 DECT Wireless Intercom



- Easy to use handset, simple answer and end call button.
- Door release button can also be used when a call is not active (press and hold to release door or gate).

### Technical Details


Power supply	5v dc (adaptor included)
Technology type	1.88GHz DECT Digital Technology
Handsets per system	4
Handset battery	AAA Ni-mH rechargeable
Handset battery life	24 hours between charging



DECT Wireless Intercom

### Kits & Part numbers






### 603-AB (Architectural Model)

- -Stylish curved architectural model.
- -Modern blue back lighting effect.
- -BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.





### 603-ABK (Architectural Keypad Model)


- -Stylish curved architectural model.
- -Built in, illuminated code-lock keypad for access control.
- -Keypad includes 3 relays, with latching and momentary operation and many more features.
- -Modern blue back lighting effect.
- -BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base, charger and install manual.



DECT Wireless Intercom

### Kits & Part numbers






#### 603-AS (Architectural Model)

- -Stylish curved architectural model.
- -Contemporary cool-white back lighting.
- -100% BS316 marine grade stainless steel construction.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.





### 603-ASK (Architectural Keypad Model)


- -Stylish curved architectural model.
- -Built in, illuminated code-lock keypad for access control.
- -Keypad includes 3 relays, with latching and momentary operation and many more features.
- -Contemporary cool-white back lighting.
- -100% BS316 marine grade stainless steel construction.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base, charger and install manual.



DECT Wireless Intercom

### Kits & Part numbers






### **603-ABP (Architectural Prox Model)**

- -Stylish curved architectural model.
- -Built in stand alone proximity reader.
- -125KHz frequency. Compatible with 4001 / 4100, EM / TEMIC / TK tags.
- -Modern blue back lighting effect.
- -BS316 marine grade, brushed stainless steel construction with gloss acrylic trim.
- -Kit includes 3 user tags, speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base, charger and install manual.





#### PROX1


-Additional Proximity Tags.



DECT Wireless Intercom

### Kits & Part numbers






#### **603-IMP NEW DESIGN!**

- -Stylish all black panel design.
- -Contemporary cool-white illuminated button.
- -Textured powder coated aluminium hood, with sleek gloss black acrylic facia trim, over a tough metal back plate.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.





### 603-IMPK (Keypad Model) -NEW DESIGN!


- -Stylish all black panel design.
- -Contemporary cool-white illuminated buttons.
- -Textured powder coated aluminium hood, with sleek gloss black acrylic facia trim, over a tough metal back plate.
- -Built in keypad for coded entry and up to 1200 codes.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.



DECT Wireless Intercom

### Kits & Part numbers






### 603-ED NEW DESIGN! (Surface)

-Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.





### 603-EDK (Keypad Surface Model) -NEW DESIGN!


- -Built in keypad for coded entry and up to 1200 codes.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.



DECT Wireless Intercom

### Kits & Part numbers






### 603-EDF (Flush Model) NEW DESIGN!

-Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.






### 603-EDFK (Flush Keypad Model) -NEW DESIGN!

- -Built in keypad for coded entry and up to 1200 codes.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base and charger.

DECT Wireless Intercom

### Kits & Part numbers






### 603-iB (Industrial Model)

- -Industrial model for high volume applications on pedestals, vehicle entrances, etc.
- -Super loud 4 watt speaker and sensitive microphone.
- -Brushed stainless steel construction with gloss acrylic trim.
- -Illuminated push button.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base, charger and install manual.





### 603-iBK (Industrial Model with Keypad)

- -Industrial model for high volume applications on pedestals, vehicle entrances, etc.
- -Super loud 4 watt speaker and sensitive microphone.
- -Illuminated keypad includes 3 relays, 1200 codes, with latching and momentary operation and more.
- -Brushed stainless steel construction with gloss acrylic trim.
- -Kit includes speech panel, transmitter module, power supply, 3 metres screened CAT5 cable, handset, charging base, charger and install manual.


503



DECT Wireless Intercom

### Kits & Part numbers






### 603-EH (Extra Handset)

- -Add up to 3 extra handsets to any 603 kit (4 handsets in total).
- -Make internal calls between handsets.
- -Complete with charging base and plug in charger.





### 603-WIFIA (Range Boosting Antenna)

- -Boost range by up to 30% using directional antenna.
- -Particularly ideal when transmitter is mounted too low or facing wrong direction.
- -1 Metre cable.





# DECT 603 Part DECT Intercom















Main gate & pedestrian

gate application

**High & Low commercial** vehicle entrance application

> Illustration of Main gate & pedestrian gate application




- 2 piece design with separate call point and modem.
- Ideal for higher security applications like door access (relays located In secure zone).
- Can also facilitate more than one speech panel when used with a multiplexor.
- Same features as DECT 603.





# DECT 603 2 Part DECT Intercom






**603-TX**-DECT 603 module in enclosure with handset.







#### Multip2

Multiplexor, recommended to improve speech quality and volume when using more than 1 speech panel on a single GSM or 603 DECT unit.